

**REMARKS**

The Notice to File Corrected Application Papers mailed November 26, 2003 in connection with the above-identified application, is noted. This Notice mailed November 26, 2003 indicates that replacement drawing is required, the original drawing not being acceptable because the quality is not electronically reproducible. Specifically, this Notice indicates that Fig. 4 has poor line quality and is too light.

In response thereto, Applicants are submitting a replacement sheet of drawing for Fig. 4. to replace the original Fig. 4 filed July 22, 2003. It is respectfully submitted that the presently submitted drawings are acceptable under 37 CFR § 1.84.

Entry of the present replacement drawing sheets, and, subsequent thereto, passing of the above-identified application to the appropriate Technical Center for examination on the merits, are respectfully requested.

If the Examiner believes that there are any other points which may be clarified or otherwise disposed of either by telephone discussion or by personal interview, the Examiner is invited to contact Applicants' undersigned attorney at the number indicated below.

To the extent necessary, Applicants petition for an extension of time under 37 CFR 1.136. Please charge any shortage in fees due in connection with the filing of this paper, including extension of time fees, to the Antonelli, Terry, Stout & Kraus,


Application No.: 10/623,538

Docket No.: 501.35917CC5

LLP Deposit Account No. 01-2135 (Docket No. 501.35917CC5), and please credit any excess fees to such Deposit Account.

Respectfully submitted,

ANTONELLI, TERRY, STOUT & KRAUS, LLP

By   
\_\_\_\_\_  
Gregory E. Montone  
Reg. No. 28,141

GEM/dlt

1300 North Seventeenth Street, Suite 1800  
Arlington, Virginia 22209  
Telephone: (703) 312-6600  
Facsimile: (703) 312-6666

Application No.: 10/623,538

Docket No.: 501.35917CC5

## **APPENDIX**